INDEX TO

EXPERIMENTAL MECHANICS

Volume 34, 1994

TITLE INDEX

Acoustic Emissions from Reinforced Concrete — A.K. Maji and R. Sahu, 379-388 (Dec.).

Active Damping of a Stiff Beam-like Structure with Acceleration Feedback — A. Preumont and N. Loix, 23-26 (Mar.).

Applications of Reciprocity, Electronic Holography and Shearography in Statics — H.O. Saldner and N.-E. Molin, 334-339 (Dec.).

Biaxial Loading Response of Powder Aluminum at Elevated Temperature, The — T.O. Woods and D.G. Berghaus, 249-255 (Sept.).

Bridge-condition Assessment by Modal Flexibility — T. Toksoy and A.E. Aktan, 271-278 (Sept.).

CTOA and Crack-tunneling Measurements in Thin Sheet 2024-T3 Aluminum Alloy — D.S. Dawicke and M.A. Sutton, 357-368 (Dec.).

Dynamic-compression Fatigue of Hot-pressed Silicon-nitride — V. Sharma, S. Nemat-Nasser and K.S. Vecchio, 315-323 (Dec.).

Dynamic Fracture Toughness Determined from Load-point Displacement — C. Bacon, J. Färm and J.L. Lataillade, 217-223 (Sept.).

Elevated Temperature Testing with the Torsional Split Hopkinson Bar — A. Gilat and X. Wu, 166-170 (June).

Embedded Piezoelectric Sensors to Measure Peel Stresses in Adhesive Joints — G.L. Anderson, R.C. Robertson, B. L. Peterson and D.A. Dillard, 194-201 (Sept.).

Experimental and Analytical Comparisons of Failures in Thermoplastic Composite Laminates — R.J. Martin, R.S. Sandhu and A.N. Palazotto, 53-65 (Mar.).

Experimental and Analytical Investigation of the Modified Wyoming Shear-test Fixture — E.M. Odom, D.M. Blackketter and B.R. Suratno, 10-15 (Mar.).

Fourier-transform Moiré Method with Consideration of Misalignment — Y. Morimoto, Y. Seguchi and K. Daifuku, 349-356 (Dec.).

Friction Measurement at Low Sliding Speed Using a Servohydraulic Tension-torsion Machine — U. Olofsson and M. Holmgren, 202-207 (Sept.).

From Field Vibration Data to Laboratory Simulation - 1994 Murray Lecture — K.G. McConnell, 181-193 (Sept.).

Genetic Algorithm for Determining the Location of Structural Impacts, A — J.F. Doyle, 37-44 (Mar.).

Historical Review of Moiré Interferometry, A — C.A. Walker, 281-299 (Dec.).

Image-processing System for Circular-grid Analysis in Sheet-metal Forming — R.-S. Lee and Q.-C. Hsu, 108-115 (June).

Impact-induced Flexural Waves in a Timoshenko Beam — Shearographic Detection and Analysis — V.P.W. Shim, S.L. Toh and S.E. Quah, 340-348 (Dec.).

In-plane Shear Testing of Graphite-woven Fabric Composites — H. Ho, M.Y. Tsai, J. Morton and G.L. Farley, 45-52 (Mar.).

Influence of Errors in an Interferogram Analysis, The — P.M. MacKenzie, 243-248 (Sept.).

Influence of Fiber Inclination and Interfacial Conditions on Fracture in Composite Materials — S.K. Khanna and A. Shukla, 171-180 (June).

Instrumented Fastener for Shear Force Measurements in Joints, An — J.W. Sawyer and T.M. Rothgeb, 16-22 (Mar.).

Laser-generated Rayleigh Waves in Graphite/Epoxy Composites — H. Park and C. Calder, 148-154 (June).

Microradiographic Strain Measurement Using Markers — E.H. Jordan, S.C.U. Ochi, D. Pease and J.I. Budnick, 155-165 (June).

Modal Verification of a Destructive Test of a Damaged Prestressed Concrete Beam — K. Allbright, K. Parekh, R. Miller and T.M. Baseheart, 389-396 (Dec.).

Moiré Analysis of Thick Composites with Embedded Optical Fibers — J.S. Sirkis and H. Singh, 300-305 (Dec.).

Monitoring Short Fatigue Cracks with Miniature Strain Gages — Y. Verreman, 208-216 (Sept.).

New Direct Biaxial Testing Machine for Anisotropic Materials, A — J.P. Boehler, S. Demmerle and S. Koss, 1-9 (Mar.).

Novel Techniques in Reflection Moiré — A. Asundi, 230-242 (Sept.).

Parametric Investigation of an Automated NDE Pavement Inspection System — S.A. Guralnick, E.S. Suen and G. Jin, 256-261 (Sept.).

Penetration Force Measurement of Thin Plates by Laser Doppler Anemometry — E. Wu, H.-J. Sheen, Y.-C. Chen and L.-C. Chang, 93-99 (June).

Real-time Shearography for Measuring Time-dependent Displacement Derivatives — Y.Y. Hung, S. Tang and J.D. Hovanesian, 89-92 (Mar.).

Residual-stress Measurement in Orthotropic Materials Using the Hole-drilling Method — G.S. Schajer and L. Yang, 324-333 (Dec.).

Residual-stress Determination by Single-axis Holographic Interferometry and Hole Drilling — Part I: Theory — A. Makino and D. Nelson, 66-78 (Mar.).

Residual-stress Determination by Single-axis Holographic Interferometry and Hole Drilling — Part II: Experiments — D. Nelson, E. Fuchs, A. Makino and D. Williams, 79-88 (Mar.).

Residual Stress Analysis of Joints of Ceramics and Metals — H. Koguchi, T. Hino, Y. Kikuchi and T. Yada, 116-124 (June).

Residual Surface Stresses in Laminated Cross-ply Fiber-epoxy Composite Materials — H.E. Gascoigne, 27-36 (Mar.).

Shear Gage: For Reliable Shear Modulus Measurements of Composite Materials, The — P.G. Ifju, 369-378 (Dec.).

Shear-lag Effect in CFRP I-Beams Under Three-point Bending — H. Takayanagi, K. Kemmochi, H. Sembokuya, M. Hojo and H. Maki, 100-107 (June).

Stress Concentrations Associated with Circular Holes in Cylinders and Bone in Torsion — M. Mahinfalah and M. Harms, 224-229 (Sept.).

Study of Stationary Crack-tip Deformation Fields in Thin Sheets by Computer Vision, A — G. Han, M.A. Sutton and Y.-J. Chao, 125-140 (June).

Thermal Bending Associated with Heat Conduction by Holographic Interferometry — C.-S. Jou and R.J. Farris, 306-314 (Dec.).

Two Holographic Blind-hole Methods for Measuring Residual Stresses — S.-T. Lin, C.-T. Hsieh and C.-P. Hu, 141-147 (June).

Two-dimensional Electronic-speckle-pattern Interferometry and Concrete-fracture Processes — Z. Jia and S.P. Shah, 262-270 (Sept.).

AUTHOR INDEX

Aktan, A.E. — Bridge-condition Assessment by Modal Flexibility, 271-278 (Sept.).

Allbright, K. — Modal Verification of a Destructive Test of a Damaged Prestressed Concrete Beam, 389-396 (Dec.).

Anderson, G.L. — Embedded Piezoelectric Sensors to Measure Peel Stresses in Adhesive Joints, 194-201 (Sept.).

Asundi, A. — Novel Techniques in Reflection Moiré, 230-242 (Sept.).

Bacon, C. — Dynamic Fracture Toughness Determined from Load-point Displacement, 217-223 (Sept.).

Baseheart, T.M. — Modal Verification of a Destructive Test of a Damaged Prestressed Concrete Beam, 389-396 (Dec.).

Berghaus, D.G. — The Biaxial Loading Response of Powder Aluminum at Elevated Temperature, 249-255 (Sept.).

Blackketter, D.M. — Experimental and Analytical Investigation of the Modified Wyoming Shear Test Fixture, 10-15 (Mar.).

Boehler, J.P. — A New Direct Biaxial Testing Machine for Anisotropic Materials, 1-9 (Mar.).

Budnick, J.I. — Microradiographic Strain Measurement Using Markers, 155-165 (June).

Calder, C. — Laser-generated Rayleigh Waves in Graphite/Epoxy Composites, 148-154 (June).

Chang, L.-C. — Penetration Force Measurement of Thin Plates by Laser Doppler Anemometry, 93-99 (June).

Chao, Y.-J. — A Study of Stationary Crack-tip Deformation Fields in Thin Sheets by Computer Vision, 125-140 (June).

Chen, Y.-C. — Penetration Force Measurement of Thin Plates by Laser Doppler Anemometry, 93-99 (June).

Daifuku, K. — Fourier-transform Moiré Method with Consideration of Misalignment, 349-356 (Dec.).

Dawicke, D.S. — CTOA and Crack-tunneling Measurements in Thin Sheet 2024-T3 Aluminum Alloy, 357-368 (Dec.).

Demmerle, S. — A New Direct Biaxial Testing Machine for Anisotropic Materials, 1-9 (Mar.).

Dillard, D.A. — Embedded Piezoelectric Sensors to Measure Peel Stresses in Adhesive Joints, 194-201 (Sept.).

Doyle, J.F. — A Genetic Algorithm for Determining the Locations of Structural Impacts, 37-44 (Mar.).

Farley, G.L. — In-plane Shear Testing of Graphite-woven Fabric Composites, 45-52 (Mar.).

Färm, J. — Dynamic Fracture Toughness Determined from Load-point Displacement, 217-223 (Sept.).

Farris, R.J. — Thermal Bending Associated with Heat Conduction by Holographic Interferometry, 306-314 (Dec.).

Fuchs, E. — Residual-stress Determination by Single-axis Holographic Interferometry and Hole Drilling — Part II: Experiments, 79-88 (Mar.).

Gascoigne, H.E. — Residual Surface Stresses in Laminated Cross-ply Fiber-epoxy Composite Materials, 27-36 (Mar.).

Gilat, A. — Elevated Temperature Testing with the Torsional Split Hopkinson Bar, 166-170 (June).

Guralnick, S.A. — Parametric Investigation of an Automated NDE Pavement Inspection System, 256-261 (Sept.).

Han, G. — A Study of Stationary Crack-tip Deformation Fields in Thin Sheets by Computer Vision, 125-140 (June).

Harms, M. — Stress Concentrations Associated with Circular Holes in Cylinders and Bone in Torsion, 224-229 (Sept.).

Hino, T. — Residual Stress Analysis of Joints of Ceramics and Metals, 116-124 (June).

Ho, H. — In-plane Shear Testing of Graphite-woven Fabric Composites, 45-52 (Mar.).

Hojo, M. — Shear-lag Effect in CFRP I-Beams Under Three-point Bending, 100-107 (June).

Holmgren, M. — Friction Measurement at Low Sliding Speed Using a Servohydraulic Tension-torsion Machine, 202-207 (Sept.).

Hovanesian, J.D. — Real-time Shearography for Measuring Time-dependent Displacement Derivatives, 89-92 (Mar.).

Hsieh, C.-T. — Two Holographic Blind-hole Methods for Measuring Residual Stresses, 141-147 (June).

Hsu, Q.-C. — Image-processing System for Circular-grid Analysis in Sheet-metal Forming, 108-115 (June).

Hu, C.-P. — Two Holographic Blind-hole Methods for Measuring Residual Stresses, 141-147 (June).

Hung, Y.Y. — Real-time Shearography for Measuring Time-dependent Displacement Derivatives, 89-92 (Mar.).

Ifju, P.G. — The Shear Gage: For Reliable Shear Modulus Measurements of Composite Materials, 369-378 (Dec.).

Jia, Z. — Two-dimensional Electronic-speckle-pattern Interferometry and Concrete-fracture Processes, 262-270 (Sept.).

Jin, G. — Parametric Investigation of an Automated NDE Pavement Inspection System, 256-261 (Sept.).

Jordan, E.H. — Microradiographic Strain Measurement Using Markers, 155-165 (June).

Jou, C.-S. — Thermal Bending Associated with Heat Conduction by Holographic Interferometry, 306-314 (Dec.).

Kemmochi, K. — Shear-lag Effect in CFRP I-Beams Under Three-point Bending, 100-107 (June).

Khanna, S.K. — Influence of Fiber Inclination and Interfacial Conditions on Fracture in Composite Materials, 171-180 (June).

Kikuchi, Y. — Residual Stress Analysis of Joints of Ceramics and Metals, 116-124 (June).

Koguchi, H. — Residual Stress Analysis of Joints of Ceramics and Metals, 116-124 (June).

Koss, S. — A New Direct Biaxial Testing Machine for Anisotropic Materials, 1-9 (Mar.).

Lataillade, J.L. — Dynamic Fracture Toughness Determined from Load-point Displacement, 217-223 (Sept.).

Lee, R.-S. — Image-processing System for Circular-grid Analysis in Sheet-metal Forming, 108-115 (June).

Lin, S.-T. — Two Holographic Blind-hole Methods for Measuring Residual Stresses, 141-147 (June).

Loix, N. — Active Damping of a Stiff Beam-like Structure with Acceleration Feedback, 23-26 (Mar.).

MacKenzie, P.M. — The Influence of Errors in an Interferogram Analysis, 243-248 (Sept.).

Mahinfalah, M. — Stress Concentrations Associated with Circular Holes in Cylinders and Bone in Torsion, 224-229 (Sept.).

Maji, A.K. — Acoustic Emissions from Reinforced Concrete, 379-388 (Dec.).

Maki, H. — Shear-lag Effect in CFRP I-Beams Under Three-point Bending, 100-107 (June).

Makino, A. — Residual-stress Determination by Single-axis Holographic Interferometry and Hole Drilling — Part I: Theory, 66-78 (Mar.).

Makino, A. — Residual-stress Determination by Single-axis Holographic Interferometry and Hole Drilling — Part II: Experiments, 79-88 (Mar.).

Martin, R.J. — Experimental and Analytical Comparisons of Failures in Thermoplastic Composite Laminates, 53-65 (Mar.).

McConnell, K.G. — From Field Vibration Data to Laboratory Simulation - 1994 Murray Lecture, 181-193 (Sept.).

Miller, R. — Modal Verification of a Destructive Test of a Damaged Prestressed Concrete Beam, 389-396 (Dec.).

Molin, N.-E. — Applications of Reciprocity, Electronic Holography and Shearography in Statics, 334-339 (Dec.).

Morimoto, Y. — Fourier-transform Moiré Method with Consideration of Misalignment, 349-356 (Dec.).

Morton, J. — In-plane Shear Testing of Graphite-woven Fabric Composites, 45-52 (Mar.).

Nelson, D. — Residual-stress Determination by Single-axis Holographic Interferometry and Hole Drilling — Part I: Theory, 66-78 (Mar.).

Nelson, D. — Residual-stress Determination by Single-axis Holographic Interferometry and Hole Drilling — Part II: Experiments, 79-88 (Mar.).

Nemat-Nasser, S. — Dynamic-compression Fatigue of Hot-pressed Silicon-nitride, 315-323 (Dec.).
Ochi, S.C.U. — Microradiographic Strain Measurement Using Markers, 155-165 (June).
Odom, E.M. — Experimental and Analytical Investigation of the Modified Wyoming Shear-test Fixture, 10-15 (Mar.).
Olofsson, U. — Friction Measurement at Low Sliding Speed Using a Servohydraulic Tension-torsion Machine, 202-207 (Sept.).
Palazotto, A.N. — Experimental and Analytical Comparisons of Failures in Thermoplastic Composite Laminates, 53-65 (Mar.).
Parekh, K. — Modal Verification of a Destructive Test of a Damaged Prestressed Concrete Beam, 389-396 (Dec.).
Park, H. — Laser-generated Rayleigh Waves in Graphite/Epoxy Composites, 148-154 (June).
Pease, D. — Microradiographic Strain Measurement Using Markers, 155-165 (June).
Peterson, B. L. — Embedded Piezoelectric Sensors to Measure Peel Stresses in Adhesive Joints, 194-201 (Sept.).
Preumont, A. — Active Damping of a Stiff Beam-like Structure with Acceleration Feedback, 23-26 (Mar.).
Quah, S.E. — Impact-induced Flexural Waves in a Timoshenko Beam — Shearographic Detection and Analysis, 340-348 (Dec.).
Robertson, R.C. — Embedded Piezoelectric Sensors to Measure Peel Stresses in Adhesive Joints, 194-201 (Sept.).
Rothgeb, T.M. — An Instrumented Fastener for Shear Force Measurements in Joints, 16-22 (Mar.).
Sahu, R. — Acoustic Emissions from Reinforced Concrete, 379-388 (Dec.).
Saldner, H.O. — Applications of Reciprocity, Electronic Holography and Shearography in Statics, 334-339 (Dec.).
Sandhu, R.S. — Experimental and Analytical Comparisons of Failures in Thermoplastic Composite Laminates, 53-65 (Mar.).
Sawyer, J.W. — An Instrumented Fastener for Shear Force Measurements in Joints, 16-22 (Mar.).
Schajer, G.S. — Residual-stress Measurement in Orthotropic Materials Using the Hole-drilling Method, 324-333 (Dec.).
Seguchi, Y. — Fourier-transform Moiré Method with Consideration of Misalignment, 349-356 (Dec.).
Sembokuya, H. — Shear-lag Effect in CFRP I-Beams Under Three-point Bending, 100-107 (June).
Shah, S.P. — Two-dimensional Electronic-speckle-pattern Interferometry and Concrete-fracture Processes, 262-270 (Sept.).
Sharma, V. — Dynamic-compression Fatigue of Hot-pressed Silicon-nitride, 315-323 (Dec.).
Sheen, H.-J. — Penetration Force Measurement of Thin Plates by Laser Doppler Anemometry, 93-99 (June).
Shim, V.P.W. — Impact-induced Flexural Waves in a Timoshenko Beam — Shearographic Detection and Analysis, 340-348 (Dec.).
Shukla, A. — Influence of Fiber Inclination and Interfacial Conditions on Fracture in Composite Materials, 171-180 (June).
Singh, H. — Moiré Analysis of Thick Composites with Embedded Optical Fibers, 300-305 (Dec.).
Sirkis, J.S. — Moiré Analysis of Thick Composites with Embedded Optical Fibers, 300-305 (Dec.).
Suen, E.S. — Parametric Investigation of an Automated NDE Pavement Inspection System, 256-261 (Sept.).
Suratno, B.R. — Experimental and Analytical Investigation of the Modified Wyoming Shear-test Fixture, 10-15 (Mar.).
Sutton, M.A. — CTOA and Crack-tunneling Measurements in Thin Sheet 2024-T3 Aluminum Alloy, 357-368 (Dec.).
Sutton, M.A. — A Study of Stationary Crack-tip Deformation Fields in Thin Sheets by Computer Vision, 125-140 (June).
Takayanagi, H. — Shear-lag Effect in CFRP I-Beams Under Three-point Bending, 100-107 (June).
Tang, S. — Real-time Shearography for Measuring Time-dependent Displacement Derivatives, 89-92 (Mar.).
Toh, S.L. — Impact-induced Flexural Waves in a Timoshenko Beam — Shearographic Detection and Analysis, 340-348 (Dec.).
Toksoy, T. — Bridge-condition Assessment by Modal Flexibility, 271-278 (Sept.).
Tsai, M.Y. — In-Plane Shear Testing of Graphite-woven Fabric Composites, 45-52 (Mar.).
Vecchio, K.S. — Dynamic-compression Fatigue of Hot-pressed Silicon-nitride, 315-323 (Dec.).
Verreman, Y. — Monitoring Short Fatigue Cracks with Miniature Strain Gages, 208-216 (Sept.).
Walker, C.A. — A Historical Review of Moiré Interferometry, 281-299 (Dec.).
Williams, D. — Residual-stress Determination by Single-axis Holographic Interferometry and Hole Drilling — Part II: Experiments, 79-88 (Mar.).
Woods, T.O. — The Biaxial Loading Response of Powder Aluminum at Elevated Temperature, 249-255 (Sept.).
Wu, E. — Penetration Force Measurement of Thin Plates by Laser Doppler Anemometry, 93-99 (June).
Wu, X. — Elevated Temperature Testing with the Torsional Split Hopkinson Bar, 166-170 (June).
Yada, T. — Residual Stress Analysis of Joints of Ceramics and Metals, 116-124 (June).
Yang, L. — Residual Stress Measurement in Orthotropic Materials Using the Hole-drilling Method, 324-333 (Dec.).

U.S. Postal Service

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION
Required by 39 U.S.C. 3685

1A. TITLE OF PUBLICATION	1B. PUBLICATION NO.	2. DATE OF FILING
Experimental Mechanics	0 0 1 4 4 8 5 1	10/6/94
3. FREQUENCY OF ISSUE: Quarterly	3A. NO. OF ISSUES PUBLISHED ANNUALLY: 4	3B. ANNUAL SUBSCRIPTION PRICE: $79.00

4. COMPLETE MAILING ADDRESS OF KNOWN OFFICE OF PUBLICATION (Street, City, County, State and ZIP+4 Code) (Not printers)
Society for Experimental Mechanics, Inc., 7 School Street, Bethel, CT 06801

5. COMPLETE MAILING ADDRESS OF THE HEADQUARTERS OF GENERAL BUSINESS OFFICES OF THE PUBLISHER (Not printer)
Same as #4

6. FULL NAMES AND COMPLETE MAILING ADDRESS OF PUBLISHER, EDITOR, AND MANAGING EDITOR (This item MUST NOT be blank)

PUBLISHER (Name and Complete Mailing Address)
Kenneth A. Gallone, Society for Experimental Mechanics, Inc., 7 School St., Bethel, CT 06801

EDITOR (Name and Complete Mailing Address)
Same as above

MANAGING EDITOR (Name and Complete Mailing Address)
Patricia K. Brothers, Society for Experimental Mechanics, Inc., 7 School St., Bethel, CT 06801

7. OWNER (If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (Item must be completed.)

FULL NAME	COMPLETE MAILING ADDRESS
Society for Experimental Mechanics, Inc.	7 School Street, Bethel, CT 06801

8. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES (If there are none, so state)

FULL NAME	COMPLETE MAILING ADDRESS

9. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES (Section 423.12 DMM only)
The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes: (Check one)

(1) ☑ HAS NOT CHANGED DURING PRECEDING 12 MONTHS
(2) ☐ HAS CHANGED DURING PRECEDING 12 MONTHS
(If changed, publisher must submit explanation of change with this statement.)

10. EXTENT AND NATURE OF CIRCULATION (See instructions on reverse side)	AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS	ACTUAL NO. COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE
A. TOTAL NO. COPIES (Net Press Run)	2,365	2,225
B. PAID AND/OR REQUESTED CIRCULATION 1. Sales through dealers and carriers, street vendors and counter sales	-0-	-0-
2. Mail Subscription (Paid and/or requested)	2,085	2,012
C. TOTAL PAID AND/OR REQUESTED CIRCULATION (Sum of 10B1 and 10B2)	2,085	2,012
D. FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES	31	28
E. TOTAL DISTRIBUTION (Sum of C and D)	2,116	2,040
F. COPIES NOT DISTRIBUTED 1. Office use, left over, unaccounted, spoiled after printing	249	185
2. Return from News Agents	-0-	-0-
G. TOTAL (Sum of E, F1 and 2—should equal net press run shown in A)	2,365	2,225

11. I certify that the statements made by me above are correct and complete.

SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER

1994 Reviewers for Experimental Mechanics

M.G. Abdallah Hercules Materials Company
I. Allison University of Surrey
A. Asundi, University of Hong Kong
T.-H. Baek, Kunsan National University
T.N. Baker, University of Strathclyde
W.E. Baker, The University of New Mexico
D. Barker, University of Maryland
H. Baruh, Rutgers University
N.K. Batra, Naval Research Laboratory
P. Beaumont, Cambridge University
D.G. Berghaus, Georgia Institute of Technology
W. Bradley, Texas A&M University
S.B. Brown, Massachusetts Institute of Technology
H.A. Bruck, Idaho National Engineering Laboratory
P. Bryanston-Cross, University of Warwick
H.R. Busby, The Ohio State University
C.A. Calder, Oregon State University
R.A. Canfield, Air Force Institute of Technology
J.F. Cardenas-Garcia, Texas Technological University
Y.-J. Chao, University of South Carolina
S.K. Chaturvedi, The Ohio State University
F.-P. Chiang, State University of New York
R.J. Clifton, Brown University
G.L. Cloud, Michigan State University
S. Collicott, Purdue University
H. Couque, Southwest Research Institute
J.W. Dally, University of Maryland
A.N. Danial, Purdue University
I. Daniel, Northwestern University
B. Dattaguru, Indian Institute of Science
P. Davies, Centre de Brest
D.S. Dawicke, Analytical Services and Materials, Inc.
X. Deng, University of South Carolina
P.S. Dubbelday, Naval Research Laboratory
T.G. Ebbott, The Goodyear Tire and Rubber Company
K. Egawa, Shibuya, Tokyo
J.S. Epstein, Idaho National Engineering Laboratory
H. Espinosa, Purdue University
T.N. Farris, Purdue University
J. Ferguson, University of Strathclyde
M.T. Flaman, Ontario Hydro
W.-C. Fok, Nanyang Technological University
C. Forno, NPL
T. Gates, NASA Langley Research Center
A.G. Gibson, University of Newcastle
R.F. Gibson, Wayne State University
A. Gilat, The Ohio State University
D. Goldar, Delhi College of Engineering
M.R. Gorman, University of Denver
A.F. Grandt, Jr., Purdue University
S. Grilli, University of Rhode Island
Y. Guo, IBM Corporation
B. Han, IBM Microelectronics
G.F. Hawkins, The Aerospace Corporation
S.Y. Hong, Russ Engineering Center
J. Hovanesian, Oakland University
P.W.-Hovey, Air Force Institute of Technology
M.Y.Y. Hung, Oakland University
S. Ibrahim, Old Dominion University
P. Ifju, University of Florida
D.J. Inman, Virginia Polytechnic Institute & State University
S.K. Iskander, Oak Ridge National Laboratory
M. Jenkins, University of Washington
S. Johnson, NASA Langley Research Center
E. Jordan, University of Connecticut
M. Kabiri, Bradley University
B. Kaiser, Darmstadt Institute für Werkstoffkunde
B. Kang, West Virginia University
V. Kenner, The Ohio State University
S.K. Khanna, University of Missouri-Rolla
J. Kim, University of Cincinnati
V.K. Kinra, Texas A&M University
A.S. Kobayashi, University of Washington
T. Kreis, BIAS, Bremen
P. Kurath, University of Illinois
R. Lakes, University of Iowa
E. Lara-Curzio, Oak Ridge National Laboratory
N. Laws, University of Pittsburgh
J.H. Lee, University of Alaska
A.C. Lee, General Motors Corporation
G. Lesieutre, Pennsylvania State University
J.B. Ligon, Michigan Technological University
P.A. Lloyd, DRA Farnborough
O.J. Lokberg, The Norwegian Institute of Technology
J. Lu, CETIM
J.S. Lyons, University of South Carolina
P. MacKenzie, University of Strathclyde
D.B. Marshall, Rockwell International Science Center
M.T. Martin, Purdue University
D.R. Matthys, Marquette University
K.G. McConnell, Iowa State University
A. McDonach, University of Strathclyde
P.C. McKeighan, Southwest Research Institute
J. McKelvie, University of Strathclyde
I. Miskioglu, Michigan Technological University
Y. Morimoto, Osaka University
D.H. Morris, Virginia Polytechnic Institute & State University
J.D. Muench, Naval Underwater Warfare Center
J.C. Newman, NASA Langley Research Center
W. Nickola, Measurements Group Inc.
H. Nigam, Rensellaer Polytechnic Institute
E. O'Brien, British Aerospace
D.R. Oliver, University of Birmingham
S. Parhizgar, B.F. Goodrich Company
E.A. Patterson, University of Sheffield
M. Petro, University of South Carolina
R. Piascik, NASA Langley Research Center
D. Post, Virginia Polytechnic Institute & State University
V. Prakash, Case Western Reserve University
R.C. Progelhof, Pennsylvania State University at Erie
W. Prosser, NASA Langley Research Center
K.T. Ramesh, Johns Hopkins University
M. Ramulu, University of Washington
K. Ravi-Chandar, University of Houston
Z. Razzaq, Old Dominion University
T.G. Richard, University of Wisconsin
S.A. Rizzi, Langley Research Center
G. Romeo, Politecnico de Torino
A.J. Rosakis, California Institute of Technology
H.P. Rossmanith, Technical University, Vienna
R.E. Rowlands, University of Wisconsin
G. Roy, Canmet/MTL
D.W. Ruck, Air Force Institute of Technology
C. Ruiz, University of Oxford
R. Ryall, Aeronautical Research Laboratory
M.R. Sajan, The University of Hong Kong
B. Sandor, University of Wisconsin
J. Sanford, University of Maryland
J.W. Sawyer, NASA Langley Research Center
G. Schajer, University of British Columbia
J.K. Schueller, University of Florida
I. Schwartz, Boart International
C.A. Sciammarella, Illinois Institute of Technology
G.R. Seeley, Valparaiso University
D. Semenski, University of Zagreb
P.J. Sevenhuijsen, National Aerospace Laboratory
H.M. Shang, National University of Singapore
W.N. Sharpe, Jr., Johns Hopkins University
W.M. Shay, Lawrence Livermore Laboratory
J.M.M. Silva, Instituto Superior Tecnico
S.K. Sinha, General Electric Company
J.S. Sirkis, University of Maryland
S. Smith, Battelle
E.W. Smith, Massey University
K.A. Stetson, Fiber Optic Technology
K.K. Stevens, Kent Consultants, Inc.
G. Subramanian, Indian Institute of Technology, Madras
M.A. Sutton, University of South Carolina
M. Takashi, Aoyama Gaukin University
B.S. Tang, Wyle Laboratories
K. Tarhini, Valparaiso University
M. Taya, University of Washington
R.B. Thompson, NASA Ames Research Laboratory
J.C. Thompson, University of Waterloo
H.V. Tippur, Auburn University
P.J. Torvik, Air Force Institute of Technology
A. Venkatesh, NRC, Canada
C.R. Vilmann, Michigan Technological University
J. Vossoughi, University of the District of Columbia
C.A. Walker, University of Strathclyde
M.L. Wang, University of New Mexico
C. Wang, General Motors Technical Center
E.M. Weissman, B.F. Goodrich Company
C.W. Woo, The University of Hong Kong
Y. Yong, Florida Atlantic University
L. Zachary, Iowa State University